

# **Sediment Formation in Nearshore Environments: Strength, Rheology, Microstructure, and Stability**

Homa Lee  
U.S. Geological Survey  
345 Middlefield Road  
Menlo Park, CA 94025  
phone: (650) 329-5485, fax: (650) 650-5198, email: [hjlee@usgs.gov](mailto:hjlee@usgs.gov)

Award Number: N00014-04-IP-20069  
<http://marine.usgs.gov/>

## **LONG-TERM GOALS**

Our long term goals are to understand how geotechnical and physical properties develop in marine sedimentary deposits on continental margins as a result of various biological, geochemical and mechanical processes. From these considerations we advance our ability to understand how these properties influence sediment deformation and transport processes and the development of final geomorphology. Our studies include predicting the stability of slopes within the continental terrace and distinguishing morphologic features caused by slope failure from those caused by other gravity-driven processes, including turbidity-current flow. A major component is the development of mobility so that we can understand the transition from initial slope failure to the development of debris flows and turbidity currents. Another component is predicting the rheological properties that determine the dynamics of such flows. We are applying our studies to the EuroSTRATAFORM project, within which we collaborate with scientists seeking to model the formation and alteration of nearshore sedimentary bodies.

## **OBJECTIVES**

Our objectives for FY04 were: (1) to understand the ways sediment bodies develop shear strength, rheological properties and structure; (2) to test shear strength development models in controlled environments, (3) to further the development of the concept of seismic and biologic strengthening; (4) to relate regionally distributed geotechnical properties to index properties that can be determined easily or, potentially, mapped remotely; and (5) to assess the signatures of catastrophic events to determine whether they are produced by deformational (landsliding) or depositional (turbidity current sediment waves) processes.

## **APPROACH**

Our research focuses on the geotechnical changes that occur to sediment as it is buried under the seafloor. These changes include the direct influence of burial, the impact of repeated seismic shaking (seismic strengthening), and the effects of biological activity (biological strengthening). We make detailed measurements of the geotechnical properties (shear strength, compressibility, Atterberg limits, P-wave velocity, density) of marine sediment within the field studies of the EuroSTRATAFORM project (Adriatic Sea and Gulf of Lions). For comparison we simulate the changes in geotechnical properties that occur as a result of known factors. We simulate the effects of compaction of non-bioturbated, non-seismically loaded sediment using the SEDCON (SEDimentation-CONsolidation)

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>30 SEP 2004</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2004 to 00-00-2004</b>	
4. TITLE AND SUBTITLE <b>Sediment Formation in Nearshore Environments: Strength, Rheology, Microstructure, and Stability</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>U.S. Geological Survey,,345 Middlefield Road,,Menlo Park,,CA,94025</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>7</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

test performed on synthetic sediment and reconstituted field samples. These results serve as a reference, enabling us to evaluate the relative influence of either bioturbation or seismic strengthening. We also determine the sediment microstructure using SEM techniques and mercury microporosimetry. Seismic strengthening is evaluated by subjecting sediment samples to a series of simulated earthquakes in a cyclic direct simple shear device. Cyclic loads induce positive pore pressures that dissipate with time between events. The resulting densification leads to higher strength than that of comparable sediment not subjected to cyclic (earthquake) loading. Seismic strengthening is modeled within the context of critical state soil mechanics so that this influence can be predicted if certain basic parameters are known (sediment accumulation rate, recurrence rate of particular magnitude earthquakes, plasticity). The bioturbation contribution to sediment characteristics is evaluated by measuring the bio-porosity using CATSCAN imaging. Using available bathymetry, and seismic profiles, we develop models for stability, mobility, and risk (Leroueil et al. 2003). Driving stresses are balanced against strength variations in a geographic Information System (GIS) to obtain a regional estimate of relative slope stability.

Our work is fully coordinated with a matched project at Laval University directed by Jacques Locat. Key individuals, at Laval: Jacques Locat, Jean-Marie Konrad, Serge Leroueil, Marie-Claude Lévesque and Pierre Therrien: strength and compressibility measurements, CATSCAN measurements, SEM studies, rheology measurements, and simulation of sediment accumulation.; at the USGS: Homa Lee, Dianne Minasian, Pete Dartnell, and Kevin Orzech: physical property logs of sediment cores and relations between geotechnical and classification properties, algorithms relating sediment properties, environmental factors, and slope stability within the framework of a GIS, and strength development from seismic shaking. Partners in Europe are N. Sultan (France), M. Canals and R. Urgeles (Spain), and F. Trincardi (Italy). NA-EuroSTRATAFORM partners who have been involved in FY04 research include D. Orange, R. Wheatcroft and T. Milligan

## **WORK COMPLETED**

During FY 04, we completed EuroSTRATAFORM-related work in the Adriatic Sea. The work included detailed physico-chemical, mineralogical and geotechnical analyses of 11 cores from the shallow shelf off the Po delta. Three cores were selected for a detailed analysis of the bio-porosity, including one from the Saguenay Fjord. Detailed 3D CATSCAN was also carried out on the two SEDCON samples. These results were discussed in greater detail by Lévesque et al. (2004). We continued to perform simulated seismic strengthening experiments in the laboratory. We are varying the input parameters (seismic intensity, burial depth, degree of consolidation, sediment plasticity) to quantify a model for seismic strength development that can be used in regional slope stability models. At the end of the FY we are participating in a sediment sampling cruise in the Gulf of Lions.

In addition to contributing papers to various workshops (ComDelta, Lee, 2004a) and special sessions (Lee, 2004b, Lee et al., 2004b, Lévesque et al. 2003, Locat et al. 2003), the work completed in FY04 also included the completion of major contribution to two books: the Master Volume of STRATAFORM (Lee et al., 2004a, Ch. 6) and another volume on debris flows (Locat and Lee, 2004, Ch. 9).


## **RESULTS**

Detailed analysis of cores from the Po Delta has shown that the consolidation process has been largely influenced by bioturbation resulting in a significant decrease in the in situ water content to a point well below a normally consolidated reference curve. Using the CATSCAN, we developed a method for


defining the bio-porosity. Results from one core indicate that the bioporosity can be as high as 40% whereas the total bulk porosity is 80%. This is a very significant contribution and has an impact on the measurement of water content in samples. Comparison of measurements of shear strength on cores in seismically active areas with estimated normally consolidated profiles (Fig. 1) shows that the shear strength can be anomalously high by a factor of 2 or more. Simulations of seismic shaking in the laboratory (Fig. 2) illustrate the mechanism of seismic densification that can cause strength increase. The experiments show that there is “point of diminishing return,” with respect to seismic strengthening. Each succeeding earthquake has a proportionally smaller effect than the previous one.

## IMPACT/APPLICATION

Relationships developed in this project show the importance of sediment liquidity index and seabed density profiles in representing the physical behavior of marine sediment. These values can be used to predict regional slope stability, rheological behavior of debris flows, and resistance to object penetration. General strength-density relationships can be used for modeling sediment accumulation and stability. We



**Figure 1. Results of shear strength measurements made on sediment from a seismically active area compared with estimated strength of normally-consolidated sediment. Higher measured strengths may be a result of exposure to repeated earthquakes (seismic strengthening).**



**Figure 2. Results of simulated “seismic strengthening” in the laboratory. Each cyclic burst represents a strong earthquake. Decreases in void ratio correspond to an increase in shear strength. Short term decreases in vertical effective stress result from development of pore pressures during shaking. The results show that repeated earthquakes cause an increase in strength but that the impact of each earthquake becomes smaller as the number of earthquakes increases.**

are also currently working on the definition of a bio-porosity index to include in the measurement of the shear strength of near surface sediments. We are developing a model whereby shear strength profiles are related to seismicity levels and accumulation rates. By understanding the influence of seismic strengthening, we can better explain the relative lack of slope failures in seismically active environments. Models of strength development for these environments can be used to forecast object penetration and other engineering issues.

## TRANSITIONS

Geoacoustic properties are being used by mappers and acousticians to identify lithologies acoustically (Locat and Sanfacon, 2002). Rheological properties (Locat, 1997) are being used by modelers to represent debris flows (Imran et al. 2001). Landslide generation models are being used by landscape evolution modelers. Offshore research groups interested in oil and energy development were used as a platform to present our knowledge on submarine slope stability and hazard acquired as part of STRATAFORM. We have also contributed to a major effort in assembling all the existing knowledge on submarine mass movements and their consequences by publishing a book containing refereed papers on the topic (Locat and Mienert 2003) including papers by Lee et al. (2003) and Locat et al. (2003a) related to STRATAFORM. We also transferred our knowledge developed as part of STRATAFORM to those interested in tsunami modeling (Locat et al. 2003b, Lee, 2004b).

## RELATED PROJECTS

Lee has developed a USGS project to investigate sediment and pollutant transport on the Los Angeles margin that uses the methodology developed in STRATAFORM and EuroSTRATAFORM. Recently, a group of Canadians led by J. Locat and H. Lee developed a new project with project COSTA (Continental Slope STAbility) in Europe that will last until 2005.

## REFERENCES

- Imran, J., Parker, G., Locat, J., and Lee, H., 2001. A 1-D numerical model on muddy subaqueous and subareial debris flows. Submitted to ASCE Journal of Hydraulic Engineering. 127: 959-968.
- Lévesque, M.-C., Locat, J., Trincardi, F., and Lee, H., 2003. Nature and microstructure of some late-Holocene Adriatic shelf sediments. EGU-AGU meeting in Nice, France. Abstract. [published]
- Locat, J., 1997. Normalized rheological behavior of fine muds and their flow properties in a pseudoplastic regime. In: *Debris flow hazards mitigation, mechanics, prediction and assessment*. Water Resources Engineering Division, ASCE, pp. 260-269.
- Locat, J., and Mienert, J., 2003. Submarine Mass Movements and Their Consequences. Kluwer Series on Advances in Natural and Technological Hazards No. 19, 540p. [published, refereed]
- Locat, J., and Sansfaçon, R., 2002. Multibeam survey: a major tool for geosciences. *Sea Technology*, 43: 39-47.
- Locat, J., Desgagnés, P., Leroueil, S., and Lee, H.J., 2003a. Stability of the Hudson Apron slope off New Jersey. In: Submarine mass Movements and Their Consequences, J. Locat and J. Mienert, Eds., Kluwer series on Natural and Technological Hazards, vol. 19, pp.: 257-270. [published, refereed]
- Locat, J., Lee, H.J., and Locat, P., 2003b. Numerical analysis of the mobility of the Palos Verdes debris avalanche. Accepted for publication in *Marine Geology*. [in press, refereed]

## PUBLICATIONS

- Lee, H.J., Locat, J., Desgagnés, P., Parson, J., McAdoo, B., Orange, D., Puig, P., Wong, F., Dartnell, P., and Boulanger, É., 2004a. Submarine Mass Movements. In: *Continental-margin Sedimentation: Transport to Sequence*, Nitrouer et al. Ed., Ch., 6 [refereed, submitted]
- Lee, H.J., Normark, W.R., Fisher, M.A., Greene, G., Edwards, B.D., and Locat, J., 2004. Timing and Extent of Submarine Landslides in Southern California. Offshore Technology Conference, Paper 16744. [published]
- Lee, H.J., Kayen, R.E., Gardner, J.V., and Locat, J., 2003. Characteristics of several tsunamogenic submarine landslides. In: Submarine mass Movements and Their Consequences, J. Locat and J. Mienert, Eds., Kluwer series on Natural and Technological Hazards, vol. 19, pp.: 345-354. [published, refereed]

Lee, H.J. and Locat, J., Mobilization of submarine flows: examples and questions, Proceedings, International Workshop on "Occurrence and mechanisms of flows in natural slopes and earthfills, 15 pp.[in press]

Lee, H.J., 2004a. Submarine landslides; environments and controls, Proceedings, Workshop on Landslides and Lifelines, IX International Symposium on Landslides, Rio de Janeiro, Brazil, 23 pp. [published]

Lee, H.J., Orzech, K., Locat, J., Konrad, J.-M., and Boulanger, E., 2004b. Seismic strengthening, a conditioning factor influencing submarine landslide development, Proceedings, 57<sup>th</sup> Canadian Geotechnical Conference, 7 pp. [in press]

Lee, H., 2004b. Undersea landslides: extent and significance in the Pacific Ocean, an update, Special session on Submarine Landslides and Tsunami Hazard, 32nd International Geological Conference, Florence, Italy, Abstract.

Leroueil, S., Locat, J., Lévesque, C., and Lee, H.J., 2003. Towards an approach for the assessment of the associated risk with submarine mass movements. In: Submarine mass Movements and Their Consequences, J. Locat and J. Mienert, Eds., Kluwer series on Natural and Technological Hazards, vol. 19, pp.: 59-68. [published, refereed]

Lévesque, M.-C., Locat, J., Leroueil, S. and Lee, H., 2004. Potential bias caused by bioturbation on physical properties of the Po Delta recent sediments. Continental Research, Special Volume on the Adriatic [refereed, submitted]

Lévesque, M.-C., Locat, J., Milligan, T., Lee, H. and Wheatcroft, R., 2003. Geotechnical and Microstructural Characterization of the Recent Delta Po River Flood Deposit, Adriatic Sea, Italy. AGU Meeting, Abstract. [published]

Locat, J., and Lee, H.J., 2004. Subaqueous Debris Flows. In: Debris Flows Hazards and Related Phenomena, O. Hungr and M. Jakob Ed., Ch. 9 [refereed, submitted]

Locat, J., Lee, H.J., Locat, P., and Imran, J., 2004. Numerical analysis of the mobility of the Palos Verdes debris avalanche. Marine Geology, 203:269-280. [published, refereed]

Locat, J., Lévesque, M.-C., Milligan, T., Lee, H.J., and Wheatcroft, R. 2003. Geotechnical and Microstructural Characterization of the Recent Delta Po River Flood Deposit, Adriatic Sea, Italy. Proceedings of COMDELTA Meeting, Aix-en-Provence, Abstract.